

HOW TO APPLY THE MULTIPHASE OPTIMIZATION STRATEGY (MOST) IN YOUR INTERVENTION DEVELOPMENT RESEARCH

Module 1

MOST is a different way of thinking

**Lesson 4: Comparison of the classical treatment package
and engineering approaches**



NYU

**SCHOOL OF GLOBAL
PUBLIC HEALTH**

Intervention Optimization Initiative

This course was developed by

Linda M. Collins

School of Global Public
Health

New York University
(narrator)

Kate Guastaferro

College of Health and
Human Development

The Pennsylvania State
University



NYU

**SCHOOL OF GLOBAL
PUBLIC HEALTH**

Intervention Optimization Initiative

So far you have learned how to:

- Define key concepts
 - MOST
 - Intervention
 - Intervention component
 - RCT
 - Classical treatment package approach

So far you have learned how to:

- Assess what knowledge the classical treatment package approach can and cannot provide


In this lesson you will learn how to:

- Contrast two approaches to intervention development:
 - The classical treatment package approach vs.
 - How an engineer might go about developing an intervention

In this lesson you will also learn how to:

- Define additional key concepts
 - Constraint
 - Optimization
 - Candidate component


Classical treatment package approach



Scenario 2. Developing a way to manufacture truck leaf springs

- Goal: Choose from set of components/component levels to optimize amount of variability in length of leaf springs (less variability is better)

Leaf Spring:
part of truck suspension system



Pignatiello & Ramberg (1985) in Wu & Hamada (2011)

Scenario 2. Developing a way to manufacture truck leaf springs

- Components (suppose for each one higher hypothesized to be better):
 - Furnace temperature (lower, higher)
 - Heating time (shorter, longer)
 - Transfer time on conveyor belt (shorter, longer)
 - Hold down time in high pressure press (shorter, longer)
 - Quench oil temperature range (lower, higher)

Suppose an industrial engineer used the classical treatment package approach

- The engineer would construct a new manufacturing process:
 - Higher furnace temp +
 - Longer heating time +
 - Longer conveyor belt time +
 - Longer time in high pressure press +
 - Higher quench oil temperature range

Suppose an industrial engineer used the classical treatment package approach

- Compare this process as a package to the old way, see whether it is demonstrably better
- Conduct post-hoc analyses

Why engineers usually do not use the classical treatment package approach

- If the new process IS better, doesn't indicate which components make a difference
- If the new process IS NOT better, doesn't indicate which (if any) of the components did effect an improvement

Why engineers usually do not use the classical treatment package approach

- When repeated, no guarantee of systematic incremental improvement, so not a good long-run strategy
- Does not take cost or other constraints into account

Imagine this conversation between our engineer and the plant owners:

- Engineer: *I've developed an EXCELLENT manufacturing process for leaf springs! The springs coming off the assembly line are nearly identical! You need a microscope to see the differences in length!*
- Plant owners: *That is great! What is the per-spring cost?*

Imagine this conversation between our engineer and the plant owners:

- Engineer: *\$100,000 per spring.*
- Plant owners: *These springs retail for about \$50. We cannot afford to pay more than \$40/spring for manufacturing. We won't be using your manufacturing process, and YOU ARE FIRED!*

Constraints and why the “best” is not always preferable

- There is a **constraint** on manufacturing cost; it cannot exceed \$40
- The plant owners and the engineer should have established this much earlier (and in reality would have)

Constraints and why the “best” is not always preferable

- So the engineer’s job is to develop a manufacturing process that produces the least variability in length without exceeding a budget of \$40
- Will this be the best possible manufacturing process?
USUALLY NO

Scenario 2: What WOULD an engineer do?

- Start with a clear idea of the goal, including any constraints
 - In our example: Least variability WITHOUT EXCEEDING cost of \$40/spring
- Using the resources available, design and conduct an efficient experiment to gather needed information

Scenario 2: What WOULD an engineer do?

- Based on the results of experiment, select components/component levels to balance leaf spring variability and cost to achieve the stated goal.
THIS IS OPTIMIZATION

Scenario 2: What WOULD an engineer do?

- **NOTE: IN THIS EXAMPLE THE OPTIMIZED PROCESS IS NOT THE ONE THAT RETURNS THE LEAST LEAF SPRING VARIABILITY** (we already know that one is too expensive)
- Instead, optimized is THE BEST WE CAN AFFORD
- Only after optimization would the engineer directly compare new, optimized process to old process

Definition of optimization

- Optimization is a broad concept
 - Different definitions used in different fields, different contexts
- Optimization usually involves balancing competing considerations
 - Usually pluses (intervention effectiveness) against minuses (expense, staff time, participant burden, etc.)

Definition of optimization

- STRONGLY suggest defining optimization wherever you use it

Definition of optimization of an intervention used in MOST

- Optimization of a multicomponent intervention is the process of identifying an intervention that provides the best expected outcome obtainable within key constraints imposed by the need for affordability, scalability, and/or efficiency.

Back to Scenario 1: If behavioral scientists thought like engineers

- Would optimize the HIV intervention
- Start with a clear idea of the goal, including constraints
 - e.g. most effective WITHIN implementation cost of < \$300 per participant

Back to Scenario 1: If behavioral scientists thought like engineers

- Would consider each component a candidate for inclusion in the intervention
- Using resources available, design an efficient experiment to gather needed information (usually individual/combined effects of components)

Back to Scenario 1: If behavioral scientists thought like engineers

- Based on the results of experiment, optimize the intervention by selecting from the candidate components/component levels to balance effectiveness and cost to achieve the stated goal
- Only THEN evaluate the optimized intervention in an RCT if indicated

Why do we refer to selecting components/component levels?

- Recall the candidate components in Scenario 1:
- Motivational interviewing (no, yes)
- Peer mentoring (no, yes)
- Text message support (no, yes)
- Mindfulness meditation (no, yes)
- Behavioral skills training (low intensity, high intensity)

Why do we refer to selecting components/component levels?

- It is always a matter of selecting component levels
 - If the levels are (no, yes) and no is selected, the component is not included
 - If the levels are e.g. (low intensity, high intensity), the component is going to be included at one of those levels.

Why do we refer to selecting components/component levels?

- We refer to selecting components/component levels because most people find the idea of selecting components more intuitive

MOST is a framework for enabling behavioral scientists to think like engineers and optimize their interventions

- MOST integrates ideas from behavioral science, engineering, multivariate statistics, decision science, and health economics
- MOST is a work in progress – it's an active area of methodological research

In this lesson you learned how to:

- Contrast two approaches to intervention development:
 - The classical treatment package approach vs.
 - How an engineer might go about developing an intervention

In this lesson you learned how to:

- Define key concepts
 - Constraint
 - Optimization
 - Candidate component

In the next lesson you will learn how to:

- Further clarify the concept of optimization
- Define intervention EASE and relate it to optimization

Literature Cited

- Pignatiello, J. J., Jr., & Ramberg, J. S. (1985). Discussion of “off-line quality control, parameter design, and the Taguchi method” by Kackar, R.N. *Journal of Quality Technology*, 17, 198–206.
- Wu, C. J., & Hamada, M. S. (2011). *Experiments: Planning, analysis, and optimization*. Hoboken, NJ: Wiley.

