

HOW TO APPLY THE MULTIPHASE OPTIMIZATION STRATEGY (MOST) IN YOUR INTERVENTION DEVELOPMENT RESEARCH

Module 5

**Rigorous and responsible conduct of
intervention optimization research**

Lesson 6: Equipoise in optimization trials



NYU

**SCHOOL OF GLOBAL
PUBLIC HEALTH**

Intervention Optimization Initiative

This course was developed by

Linda M. Collins

School of Global Public
Health

New York University
(narrator)

Kate Guastaferro

College of Health and
Human Development

The Pennsylvania State
University



NYU

**SCHOOL OF GLOBAL
PUBLIC HEALTH**

Intervention Optimization Initiative

In the previous lesson you learned how to:

- Enter an optimization trial into a clinical trials registry (such as ClinicalTrials.gov in the US)



NYU

**SCHOOL OF GLOBAL
PUBLIC HEALTH**

Intervention Optimization Initiative

In this lesson you will learn how to:

- Generalize the concept of clinical equipoise to an optimization trial



NYU

**SCHOOL OF GLOBAL
PUBLIC HEALTH**

Intervention Optimization Initiative

What is equipoise?

- Freedman (1987):
 - Clinical equipoise exists “if there is genuine uncertainty within the expert medical community—not necessarily on the part of the individual investigator—about the preferred treatment.” (p. 141)
- The INVESTIGATOR may believe that the experimental treatment is preferred
- But what matters is the body of scientific evidence

Equipoise in an RCT

- In a 2-arm RCT, clinical equipoise means...
- ...there is not a convincing body of scientific evidence supporting the idea that either the experimental treatment or the comparator treatment is preferred

Equipoise in an optimization trial

- An optimization trial has $\gg 2$ experimental conditions
- These represent different versions of a treatment
- Clinical equipoise exists if there is no scientific consensus about which of these is preferred over the others

Equipoise in an optimization trial

- Remember, this is NOT about what YOU (as the investigator) believe
- It is also not about what theory predicts
- It is about what the **empirical scientific evidence** to date demonstrates
- If there is no scientific evidence, then there is no evidence that any treatment is preferred

How to approach equipoise in a factorial optimization trial

- Start by reviewing all the main effects. Is the null hypothesis scientifically plausible in each case?
- Then review the interactions. Again, is the null hypothesis scientifically plausible?
- OR you can review the list of experimental conditions

In this lesson you learned how to:

- Generalize the concept of clinical equipoise to an optimization trial



NYU

**SCHOOL OF GLOBAL
PUBLIC HEALTH**

Intervention Optimization Initiative

In the next lesson you will learn how to:

- Avoid accidental contamination between experimental conditions



NYU

**SCHOOL OF GLOBAL
PUBLIC HEALTH**

Intervention Optimization Initiative

References Cited

- Freedman, B. (1987). Equipoise and the ethics of clinical research. *New England Journal of Medicine*, 317, 141-145.



NYU

SCHOOL OF GLOBAL
PUBLIC HEALTH

Intervention Optimization Initiative